

STATUARIO BIANCO

Porcelain Tile


MONTECERA
— TILE & STONE —




30 x 60 cm (12" x 24")
STATUARIO BIANCO



30 x 60 cm (12" x 24")
STATUARIO BIANCO



33 x 33 cm (13" x 13")
STATUARIO BIANCO



5 x 5 (30 x 30)
2" x 2" (12" x 12")
STATUARIO BIANCO
Mosaics



5 x 5 (2" x 2")
28 x 33 (11" x 13")
STATUARIO BIANCO
Hexagon Mosaics



5x15 (2" x 6")
28 x 33 (11" x 13")
STATUARIO BIANCO
Picket Mosaics



GENERAL SPECIFICATIONS

		Appendix G Group BlaSerie: STATUARIO BIANCO Porcelain tiles Appendix G Group Bia		MONTECERA AVERAGE VALUE
TECHNICAL FEATURES	NORMS	Requirement for Nominal Size N.		STATUARIO BIANCO
		7 cm ≤ N < 15 cm	N ≥ 15 cm	Matt
LENGTH AND WIDTH	EN ISO 10545-2	± 0,9mm.	± 0,6% ± 2,0mm	Confirmed
THICKNESS	EN ISO 10545-2	± 0,5mm.	± 0,5%	Confirmed
STRAIGHTNESS	EN ISO 10545-2	± 0,75mm.	± 0,5% ± 1,5mm	Confirmed
SQUARNESS	EN ISO 10545-2	± 0,75mm.	± 0,6% ± 2,0mm	Confirmed
SURFACE FLATNESS	EN ISO 10545-2	± 0,75mm.	± 0,5% ± 2,0mm	Confirmed
WATER ABSORPTION	EN ISO 10545-3	≤ 0,5%		≤ 0,5%
BREAKING STRENGHT	EN ISO 10545-4	1300 N		1400 N
MODULUS OF RUPTURE	EN ISO 10545-4	≥ 35 N/mm²		≥ 40 N/mm²
THERMAL SHOCK RESISTANCE	EN ISO 10545-9	Required		Resistant
FROST RESISTANCE	EN ISO 10545-12	Required		Resistant
CHEMICAL RESISTANCE	EN ISO 10545-13	Indicated by manufacturer		Resistant
RESISTANCE TO STAINS	EN ISO 10545-14	Indicated by manufacturer		Resistant
DCOF (Wet)	ANSI B 101.3	Indicated by manufacturer		> 0,42
SCRATCH HARDNESS (MOHS)		Indicated by manufacturer		Min. 6
ABRASION RESISTANCE (PEI)	EN ISO 10545-7	Indicated by manufacturer		4
SHADE VARIATION		Indicated by manufacturer		V3