



SAVONA


Porcelain Tile






30 x 60 cm (12" x 24")

SAVONA - Bianco



30 x 60 cm (12" x 24")

SAVONA - Bianco



(33 x 33 cm Sheet)

(13" x 13" Sheet)

SAVONA - Bianco

Random Stripe



5 x 5 cm (30 x 30 cm Sheet)

2" x 2" (12" x 12" Sheet)

SAVONA - Bianco

Mosaics



5 x 5 cm (30 x 30 cm Sheet)

2" x 2" (12" x 12" Sheet)

SAVONA - Bianco

Basketweave Mosaics



30 x 60 cm (12" x 24")

SAVONA - Smoke



30 x 60 cm (12" x 24")

SAVONA - Smoke



(33 x 33 cm Sheet)

(13" x 13" Sheet)

SAVONA - Smoke

Random Stripe



5 x 5 cm (30 x 30 cm Sheet)

2" x 2" (12" x 12" Sheet)

SAVONA - Smoke

Mosaics



5 x 5 cm (30 x 30 cm Sheet)

2" x 2" (12" x 12" Sheet)

SAVONA - Smoke

Basketweave Mosaics



30 x 60 cm (12" x 24")

SAVONA - Ash



30 x 60 cm (12" x 24")

SAVONA - Ash



(33 x 33 cm Sheet)

(13" x 13" Sheet)

SAVONA - Ash

Random Stripe



5 x 5 cm (30 x 30 cm Sheet)

2" x 2" (12" x 12" Sheet)

SAVONA - Ash

Mosaics



5 x 5 cm (30 x 30 cm Sheet)

2" x 2" (12" x 12" Sheet)

SAVONA - Ash

Basketweave Mosaics



PACKING INFORMATION

PRODUCT	THICKNESS	Pcs x Box	Sqm x Box	Sqft x Box	Kgs x Box	Lbs x Box	Box x Pal	Sqm x Pal	Sqft x Pal	Kgs x Pal	Lbs x Pal
30 x 60 cm - (12"x24") Savona	8,0 mm.-0,32"	9	1,62	17,43	28,1	61,9	32	51,84	558,00	933	2028
5 x 5 cm (2"x2") - 30 x 30 cm (12"x12") Savona Mosaic	8,0 mm.-0,32"	10	0,88	9,47	18	39,68	48	42,34	455,74	894	1971
33 x 33 cm - (13"x13") Savona Random Stripe	8,0 mm.-0,32"	10	1,06	11,41	17	37,48	48	50,85	547,34	846	1865
5 x 5 cm (2"x2") - 30 x 30 cm (12"x12") Savona Basketweave Mosaic	8,0 mm.-0,32"	10	0,9	9,69	18	39,68	48	43,2	465	894	1971

GENERAL SPECIFICATIONS

TECHNICAL FEATURES	NORMS	PORCELAIN TILE		MONTECERA AVERAGE VALUE
		Requirement for Nominal Size N.		
		7 cm ≤ N < 15 cm	N ≥ 15 cm	MATT
LENGTH AND WIDTH	EN ISO 10545-2	± 0,90 mm	± 0,6% ±2,0 mm	Confirmed
THICKNESS	EN ISO 10545-2	± 0,50 mm	± 0,5%	Confirmed
STRAIGHTNESS	EN ISO 10545-2	± 0,75 mm	± 0,5% ±1,5 mm	Confirmed
SQUARNESS	EN ISO 10545-2	± 0,75 mm	± 0,6% ±2,0 mm	Confirmed
SURFACE FLATNESS	EN ISO 10545-2	± 0,75 mm	± 0,5% ±2,0 mm	Confirmed
WATER ABSORPTION	EN ISO 10545-3	≤ 0,5%		≤ 0,5%
BREAKING STRENGHT	EN ISO 10545-4	1300 N		1400 N
MODULUS OF RUPTURE	EN ISO 10545-4	≥ 35 N/mm²		≥ 40 N/mm²
THERMAL SHOCK RESISTANCE	EN ISO 10545-9	Required		Resistant
FROST RESISTANCE	EN ISO 10545-12	Required		Resistant
CHEMICAL RESISTANCE	EN ISO 10545-13	Indicated by manufacturer		Resistant
RESISTANCE TO STAINS	EN ISO 10545-14	Indicated by manufacturer		Resistant
DCOF (Wet)	ANSI B 101.3	Indicated by manufacturer		> 0,42
SCRATCH HARDNESS (MOHS)		Indicated by manufacturer		Min. 6
ABRASION RESISTANCE (PEI)	EN ISO 10545-7	Indicated by manufacturer		4
SHADE VARIATION		Indicated by manufacturer		V2