

iQ[®] Granit[™] Specialty

iQ Granit SD | Granit Safe.T | iQ Granit Acoustic

HOMOGENEOUS VINYL SHEET



Safety is our top priority.

Tarkett's family of iQ Granit Specialty solutions is designed for spaces that require an elevated level of comfort and performance. From controlling static, to softening acoustics, to mitigating risk of slip-and-fall accidents, our resilient specialty surfaces enhance the safety and performance of your most critical spaces—while minimizing the time and effort required to maintain them.

Granit Safe.T
521 Soft Dark Blue, 505 Black Grey, 502 Light Grey, 517 Light Aqua, 503 Grey

iQ: Intelligent quality for the most demanding environments.

iQ homogeneous flooring solutions are the resilient benchmark for performance, flexibility, and meeting the needs of acuity adaptable spaces. Keeping health and wellness top of mind, these surfaces are scientifically engineered to prevent the spread of infection, simplify care and maintenance, and support better indoor air quality with soothing aesthetics and healthy, sustainable materials.

- Continuous, uninterrupted surface with heat-welded seams
- Superior scratch resistance helps eliminate crevices where pathogens can hide
- Easy to clean with neutral cleaners
- Withstands the weight of heavy rolling loads
- Chemical- and slip-resistant
- Protected by a best-in-class warranty
- Continuously restorable with dry buffing—no need for floor finish EVER



In clinical settings where infection control is a priority, iQ's flexible material can be formed to create an integral cove base between the floor and wall with a gentle radius to prevent accumulation of dust and dirt.





iQ Granit Acoustic
160 Light Grey, 341 Light Blue, 369 Light Aqua, 412 Olive

Inspired by the beauty and resilience of natural stone, each specialty palette is designed to coordinate with the entire family of iQ Granit solutions.

iQ GRANIT SD



iQ Granit SD
954 Beige, 436 Dark Sand, 994 Light Green

468 Sand WB 129 Silk WB *	954 Beige WB 49 Beige WB *	467 Warm Sand WB 22 Pearl CB *
474 Clay CB 80 Fawn CB *	436 Dark Sand CB 09 Clay WB *	949 Dark Grey CG TG3 Iron Mountain CG *
395 Light Grey CG TB3 Dover CG *	948 Grey CG TA5 Colonial Grey CG *	950 Black Grey CG TA6 Bedrock CG *
475 White Green 27 Mist WG *	994 Light Green VM4 Green Smoke *	980 Light Aqua TG1 Snowbound W *
476 Light Blue 84 Blue Jeans *	953 Black B 40 Black B *	

Protecting people
& equipment.

iQ Granit SD is a permanently static-dissipative vinyl flooring for use in laboratories, clean rooms and ESD-sensitive areas in hospitals. It delivers the perfect combination of stable and reliable conductivity alongside the proven, no-finish durability of the iQ flooring range.

Wall base coordinates

* We've identified Color Foundations® neutrals in the following way:
WB (Warm Beige),
CB (Cool Beige),
WG (Warm Grey),
CG (Cool Grey),
B (Black),
W (White).

* Suggested colors for finishing borders (wall base). Coordinated Johnsonite® accessories are a printed approximation. Please refer to the Color Guide for accurate color representation.

GRANIT SAFE.T



511 Sand WB
129 Silk WB *



512 White Beige WB
49 Beige WB *



509 Warm Sand WB
22 Pearl CB *



520 Soft White Sand
22 Pearl CB *



507 Light Sand CB
09 Clay WB *




513 Clay CB
80 Fawn CB *




508 Dark Sand CB
09 Clay WB *



909 Soft Dusty Yellow
TA1 Tannery WB *



633 Soft Brick
VL9 Red Clay *



571 Soft Pale Brick
460 Cotton W *




502 Light Grey CG
TB3 Dover CG *




524 Soft Light Grey CG
23 Vapor Grey CG *



504 Dark Grey CG
TG3 Iron Mountain CG *



519 Soft Black WG
20 Charcoal WG *




505 Black Grey CG
TA6 Bedrock CG *




503 Grey CG
TA5 Colonial Grey CG *




516 Light Blue
84 Blue Jeans *



515 Blue
18 Navy Blue *




521 Soft Dark Blue
18 Navy Blue *



506 Black B
40 Black B *



517 Light Aqua
TG1 Snowbound W *



523 Soft Aqua
VM5 Dream Teal *



514 White Green
27 Mist WG *



518 Light Green
VM4 Green Smoke *

* See the Color Foundations® and the wall base coordinates key on page 7.



Granit Safe.T
633 Soft Brick, 571 Soft Pale Brick

Mitigating risk.

Granit Safe.T is a durable flooring solution for heavy-traffic and wet areas where slip-and-fall accidents are a concern. The additional traction provides a confident grip in lobbies and for bare feet around patient showers. With a protective finish, the surface is safe from stains and is easy to maintain.

iQ GRANIT ACOUSTIC



iQ Granit Acoustic
160 Light Grey, 341 Light Blue, 369 Light Aqua, 412 Olive

 325 White Beige WB 49 Beige WB *	 323 Light Sand CB 22 Pearl CB *	 322 Warm Sand WB 09 Clay WB *	 298 Sand WB 129 Silk WB *	 324 Warm Clay WB 45 Sandalwood WB *
 296 Warm Grey WG 469 Mystify CG *	 297 Warm Concrete WG 29 Moon Rock WG *	 329 Clay CB 80 Fawn CB *	 160 Light Grey CG TB3 Dover CG *	 161 Grey CG TA5 Colonial Grey CG *
 328 Light Clay CB 121 Cement CB *	 321 Dark Sand CB 280 Shoreline *	 188 Dark Grey CG TG3 Iron Mountain CG *	 233 Concrete CG TG2 Shark Fin CG *	 215 Dark Concrete WG TA4 Gateway WG *
 269 Light Aqua TG1 Snowbound W *	 341 Light Blue 84 Blue Jeans *	 194 Black Grey CG TA6 Bedrock CG *	 211 Black B 40 Black B *	 338 White Green 27 Mist WG *
 390 Light Green VM4 Green Smoke *	 412 Olive VN3 Gecko *	 444 Yellow Brick 130 Sisal *	 458 Red Brick VL9 Red Clay *	

* See the Color Foundations® and the wall base coordinates key on page 7.


The universal benefits of quiet.

Evidence-based design research shows that quieter healthcare settings improve clinical efficiency, diminish stress, and support the healing process. Student performance also increases with dampened noise levels, including memory retention, motivation, reading ability, and test scores. iQ Granit Acoustic reduces impact sound to support better outcomes for everyone in the space.


Coordinated solutions

Tarkett's family of iQ solutions delivers safety and performance with a cohesive color palette. iQ Granit SD is permanently static-dissipative for use in laboratories, clean rooms, and ESD-sensitive areas in hospitals. Granit Safe.T provides a confident grip in wet and high-traffic areas.


iQ Granit SD



Granit Safe.T






iQ Granit Acoustic



Color Foundations®: It's easy to coordinate Johnsonite products with a wide range of flooring choices from the Tarkett portfolio. Color Foundations gives you six neutral palettes that pair popular Johnsonite colors with hundreds of flooring options for Soft Surface to Resilient. We've done the color-coordination for you. Just pick your palette and go!

Palette Key: **WB** (Warm Beige), **CB** (Cool Beige), **WG** (Warm Grey), **CG** (Cool Grey), **B** (Black), **W** (White).



Putting it all together.

Every unique space throughout a facility comes with its own distinct purpose and requirements. That’s why our design team has thoughtfully curated the color palette within each iQ solution—making the coordination process beautifully simple. Use the chart below to find comparable hues across the family of iQ collections.

Range Pattern Name	Product Number	iQ Granit Color Name 50 SKU	NCS Code	iQ Granit Acoustic Product Number 21155	iQ Granit Acoustic Color Name 24 SKU	iQ Granit SD Product Number 3096	iQ Granit SD Color Name 14 SKU	Granit Safe.T Product Number 21153	Granit Safe.T Color Name 16 SKU	Granit Sense Safe.T Product Number 21153 8 SKU (Not Shown: Colors 571, 633, 909)	Granit Sense Safe.T Color Name 8 SKU (Not Shown: Colors Soft Pale Brick, Soft Brick, Soft Dusty Yellow)
iQ Granit	21142 124	White Grey	NCS S 2002-R50B								
iQ Granit	21142 160	Light Grey	NCS S 1500-N	21155160	Light Grey	3096395	Light Grey	21153502	Light Grey		
iQ Granit	21142 161	Grey	NCS S 2500-N	21155161	Grey	3096948	Grey	21153503	Grey		
iQ Granit	21142 188	Dark Grey	NCS S 4502-B	21155188	Dark Grey	3096949	Dark Grey	21153504	Dark Grey		
iQ Granit	21142 194	Black Grey	NCS S 6502-B	21155194	Black Grey	3096950	Black Grey	21153505	Black Grey		
iQ Granit	21142 211	Black	NCS S 8502-B	21155211	Black	3096953	Black	21153506	Black		
iQ Granit	21142 215	Dark Concrete	NCS S 6000-N	21155215	Dark Concrete						
iQ Granit	21142 233	Concrete	NCS S 3500-N	21155233	Concrete						
iQ Granit	21142 234	Warm Light Grey	NCS S 1502-Y								
iQ Granit	21142 296	Warm Grey	NCS S 2502-Y	21155296	Warm Grey						
iQ Granit	21142 297	Warm Concrete	NCS S 4502-Y	21155297	Warm Concrete						
iQ Granit	21142 323	Light Sand	NCS S 1505-Y30R	21155323	Light Sand			21153507	Light Sand		
iQ Granit	21142 320	White Sand	NCS S 2005-Y30R							21153520	Soft White Sand
iQ Granit	21142 321	Dark Sand	NCS S 4005-Y20R	21155321	Dark Sand	3096436	Dark Sand	21153508	Dark Sand		
iQ Granit	21142 322	Warm Sand	NCS S 3010-Y30R	21155322	Warm Sand	3096467	Warm Sand	21153509	Warm Sand		
iQ Granit	21142 298	Sand	NCS S 1510-Y30R	21155298	Sand	3096468	Sand	21153511	Sand		
iQ Granit	21142 324	Warm Clay	NCS S 3010-Y50R	21155324	Warm Clay						
iQ Granit	21142 325	White Beige	NCS S 1505-Y50R	21155325	White Beige	3096954	Beige	21153512	White Beige		
iQ Granit	21142 328	Light Clay	NCS S 2005-Y50R	21155328	Light Clay						
iQ Granit	21142 329	Clay	NCS S 3005-Y50R	21155329	Clay	3096474	Clay	21153513	Clay		
iQ Granit	21142 330	Dark Clay	NCS S 4005-Y50R								
iQ Granit	21142 337	Brown	NCS S 6005-Y50R								
iQ Granit	21142 338	White Green	NCS S 2005-G	21155338	White Green	3096475	White Green	21153514	White Green		
iQ Granit	21142 339	Dark Blue	NCS S 6020-R90B							21153521	Soft Dark Blue
iQ Granit	21142 240	Blue	NCS S 4030-R90B					21153515	Blue		
iQ Granit	21142 341	Light Blue	NCS S 2020-R90B	21155341	Light Blue	3096476	Light Blue	21153516	Light Blue		
iQ Granit	21142 342	Pastel Blue	NCS S 1015-B								
iQ Granit	21142 369	Light Aqua	NCS S 2020-B10G	21155369	Light Aqua	3096980	Light Aqua	21153517	Light Aqua		
iQ Granit	21142 370	Aqua	NCS S 4020-B30G							21153523	Soft Aqua
iQ Granit	21142 390	Light Green	NCS S 2010-G	21155390	Light Green	3096994	Light Green	21153518	Light Green		
iQ Granit	21142 391	Green	NCS S 4020-G10Y								
iQ Granit	21142 392	Pastel Green	NCS S 1020-G40Y								
iQ Granit	21142 412	Olive	NCS S 3020-G40Y	21155412	Olive						
iQ Granit	21142 438	Light Olive	NCS S 2020-G80Y								
iQ Granit	21142 439	Pastel Yellow	NCS S 1020-Y10R								
iQ Granit	21142 444	Yellow Brick	NCS S 2020-Y30R	21155444	Yellow Brick						
iQ Granit	21142 456	Orange	NCS S 2040-Y60R								
iQ Granit	21142 458	Red Brick	NCS S 3030-Y70R	21155458	Red Brick						
iQ Granit	21142 525	Red	NCS S 3050-Y80R								
iQ Granit Sense	21142 527	Soft White Sand	NCS S 1002-Y50R								
iQ Granit Sense	21142 528	Soft White Grey	NCS S 1500-N								
iQ Granit Sense	21142 554	Soft Light Grey	NCS S 2500-N							21153524	Soft Light Grey
iQ Granit Sense	21142 579	Soft Grey	NCS S 4000-N								
iQ Granit Sense	21142 627	Soft Black Grey	NCS S 5502-B								
iQ Granit Sense	21142 636	Soft Black	NCS S 6500-N							21153519	Soft Black
iQ Granit Sense	21142 752	Soft Sand Brown	NCS S 6005-Y20R								
iQ Granit Sense	21142 755	Soft Brown	NCS S 6005-Y50R								

GRANIT SPECIALTY Weld Rod Chart

Part Number	Collection	Color	Specialty Color Number	Solid Weld Rod	Multi-Color Weld Rod
3096395	iQ Granit SD	Light Grey	395	1287446	
3096948	iQ Granit SD	Grey	948	1287630	
3096949	iQ Granit SD	Dark Grey	949	1287831	
3096950	iQ Granit SD	Black Grey	950	1287842	
3096953	iQ Granit SD	Black	953	1287375	
3096436	iQ Granit SD	Dark Sand	436	1287830	
3096467	iQ Granit SD	Warm Sand	467	1289803	
3096468	iQ Granit SD	Sand	468	1291615	
3096954	iQ Granit SD	Beige	954	1287698	
3096474	iQ Granit SD	Clay	474	1287696	
3096475	iQ Granit SD	White Green	475	1287323	
3096476	iQ Granit SD	Light Blue	476	1287803	
3096980	iQ Granit SD	Light Aqua	980	1287297	
3096994	iQ Granit SD	Light Green	994	1287860	
21153502	Granit Safe.T	Light Grey	502	1287703	1290283
21153503	Granit Safe.T	Grey	503	1287691	1290121
21153504	Granit Safe.T	Dark Grey	504	1292383	1290021
21153505	Granit Safe.T	Black Grey	505	1287842	1290026
21153506	Granit Safe.T	Black	506	1291933	1290035
21153507	Granit Safe.T	Light Sand	507	1292319	1290422
21153508	Granit Safe.T	Dark Sand	508	1287830	1290361
21153509	Granit Safe.T	Warm Sand	509	1287391	1290143
21153511	Granit Safe.T	Sand	511	1291615	1290393
21153512	Granit Safe.T	White Beige	512	1287698	1290036
21153513	Granit Safe.T	Clay	513	1287291	1290375
21153514	Granit Safe.T	White Green	514	1287182, 1287202	1290356
21153515	Granit Safe.T	Blue	515	1288307	1290273
21153516	Granit Safe.T	Light Blue	516	1287803	1290425
21153517	Granit Safe.T	Light Aqua	517	1287297	1290107
21153518	Granit Safe.T	Light Green	518	1287860	1290413
21153519	Granit Safe.T	Soft Black	519	1294727	

Part Number	Collection	Color	Specialty Color Number	Solid Weld Rod	Multi-Color Weld Rod
21153520	Granit Safe.T	Soft White Sand	520	1292393	
21153521	Granit Safe.T	Soft Dark Blue	521	1287001	
21153523	Granit Safe.T	Soft Aqua	523	1287940	
21153524	Granit Safe.T	Soft Light Grey	524	1291811	
21153571	Granit Safe.T	Soft Pale Brick	571	1291983	1290435
21153633	Granit Safe.T	Soft Brick	633	1287665	
21153909	Granit Safe.T	Soft Dusty Yellow	909	1287690	
21155160	iQ Granit Acoustic	Light Grey	160	1287411	1290283
21155161	iQ Granit Acoustic	Grey	161	1287630	1290286
21155188	iQ Granit Acoustic	Dark Grey	188	1292383	1290021
21155194	iQ Granit Acoustic	Black Grey	194	1287842	1290412
21155211	iQ Granit Acoustic	Black	211	1291933	1290035
21155215	iQ Granit Acoustic	Dark Concrete	215	1287832	1290358
21155233	iQ Granit Acoustic	Concrete	233	1287789	1290340
21155296	iQ Granit Acoustic	Warm Grey	296	1292770	1290420
21155297	iQ Granit Acoustic	Warm Concrete	297	1287693	1290427
21155298	iQ Granit Acoustic	Sand	298	1287797	1290424
21155321	iQ Granit Acoustic	Dark Sand	321	1287830	1290361
21155322	iQ Granit Acoustic	Warm Sand	322	1287391	1290143
21155323	iQ Granit Acoustic	Light Sand	323	1287069	1290422
21155324	iQ Granit Acoustic	Warm Clay	324	1287930	1290255
21155325	iQ Granit Acoustic	White Beige	325	1287773	1290036
21155328	iQ Granit Acoustic	Light Clay	328	1292393	1290248
21155329	iQ Granit Acoustic	Clay	329	1287291	1290343
21155338	iQ Granit Acoustic	White Green	338	1287942	1290431
21155341	iQ Granit Acoustic	Light Blue	341	1287803	1290425
21155369	iQ Granit Acoustic	Light Aqua	369	1287509	1290107
21155390	iQ Granit Acoustic	Light Green	390	1287875	1290413
21155412	iQ Granit Acoustic	Olive	412	1287332	1290280
21155444	iQ Granit Acoustic	Yellow Brick	444	1291772	1290039
21155458	iQ Granit Acoustic	Red Brick	458	1287936	1290409

Tarkett


Solution SPECtrum™

At Tarkett, we believe in placing people in the center of every space. So we've developed a portfolio of products designed to work together both functionally and aesthetically, helping you create more supportive spaces that maximize return on investment. Our full palette of colors, patterns, and textures is coordinated to work together visually across product categories—creating the perfect balance for people, planet and performance.

Speak to your Tarkett sales representative to get started, or visit brilliance.tarkett.com.

- 1. Soft surface carpet tile
Ebbing Waves 11734
Telluride 62192
- 2. LinoFloor
Emme Carolina 760
- 3. Performa HE sheet
Mission Oak Antique Oak 55005
- 4. Johnsonite rubber tile
Minerality Custom Quote 13989
- 5. iQ Granit HO sheet & tile
Warm Concrete 0297
- 6. iQ Eminent HO sheet & tile
Sand 0883
- 7. Performa HE sheet
Dover 55031
- 8. GRANIT Safe.T Specialty sheet
21153517 Light Aqua
- 9. Johnsonite Classic Masquerade Millwork
Seasonal Oak Peppercorn MW-ME5-Z
- 10. Johnsonite Reveal Masquerade Millwork
Concrete Fallow MW-MK6-F

Color may vary from actual swatch.
To order a sample and to learn more,
please visit tarkett.com.





iQ Granit SD
954 Beige, 436 Dark Sand, 994 Light Green



Tarkett's holistic approach to sustainability is woven into the fabric of how we do business and sits at the heart of our day-to-day decision making.

For decades, we've been scrutinizing every detail of our business for its impact on resources like soil, water, air, and climate—because when you're trailblazing a more sustainable future, **every step matters**.

The **proof** is in the numbers.



Circular economy

94%

of our raw materials are third-party assessed for their impact on human and environmental health based on Cradle to Cradle criteria.

69%

of raw materials are abundant, rapidly renewable or recycled.

13

zero-waste-to-landfill manufacturing plants

1.5 million lbs

of flooring recycled in 2023 in North America



Certifications you can trust

2011

started working with EPEA to integrate Cradle to Cradle principles into every facet of our business

2013

first commercial flooring CERTIFIED **asthma & allergy friendly**®

2022

Powerbond® RS is the first soft surface product in the industry to be CERTIFIED **asthma & allergy friendly**®.



Transparency you can trust

100 ppm

raw materials content revealed down to 100 parts per million

When most manufacturers reveal raw materials content down to just 1,000 ppm, there's simply no contest.

We've been providing Material Health Statements since 2013 to give you peace of mind about the content of our products.



Healthy impacts

99%

of flooring solutions have low VOC emission levels—10x lower than the most stringent world standards.

100%

ortho-phthalate-free vinyl production; first company to eliminate ortho-phthalates from all products



Global excellence

2010

first flooring manufacturer to join the UN Global Compact

2016

Began reporting to the Carbon Disclosure Project (CDP). In 2023, Tarkett scored A-, the CDP management level.

2020

first assessment by EcoVadis. In 2023, Tarkett's score of 74/100 earned us a Gold medal and placed us in the top 2% of rated companies.

2023

SBTi deemed our target ambition in line with a 1.5°C trajectory, currently the most ambitious designation available through the SBTi process.

Source: Tarkett 2023 Corporate Social and Environmental Responsibility Report

iQ GRANIT Specialty Specifications

Technical Data	Standards	iQ Granit Acoustic
Classification	ASTM F1303	Sheet Vinyl Floor Covering with a Backing
Polyurethane Reinforced	ASTM F410	Yes
Total Thickness	ASTM F386	0.138" (3.5 mm)
Static Load Resistance	ASTM F970	250 psi $\leq$ 0.005"
Chemical Resistance	ASTM F925	Passes
Resistance to Heat	ASTM F1514	$\Delta E \leq 8.0$
Resistance to Light	ASTM F1515	$\Delta E \leq 8.0$
Residual indentation	ASTM F1914	Passes
Slip Resistance	ASTM D2047	≥ 0.5 SCOF
Flame Resistance	ASTM E648	Class 1 (≥ 0.45 W/cm ²)
Flame Spread / Smoke (Canada)	CAN/ULC S102.2	FSR 100 / SDC 355
Warranty		10 Year
Colors Available		24
Roll	Length	75' 6"
	Width	6' 5"
	Weight/yd ² (m ²)	7.02 lbs

Technical Data	Standards	iQ Granit SD Sheet	iQ Granit SD Tile
Classification	ASTM F1913 / ASTM F1700	Vinyl Sheet Floor Covering Without Backing	Class 1, Type A Solid Vinyl Tile
Polyurethane Reinforced	ASTM F410	Yes	Yes
Total Thickness	ASTM F386	0.080" (2.0 mm)	0.080" (2.0 mm)
Static Load Resistance	ASTM F970	250 psi $\leq$ 0.005" (*Modified 2000 psi: ≤ 0.005 ")	250 psi $\leq$ 0.005"
Resistance to Heat	ASTM F1514	$\Delta E \leq 8.0$	$\Delta E \leq 8.0$
Resistance to Light	ASTM F1515	$\Delta E \leq 8.0$	$\Delta E \leq 8.0$
Residual indentation	ASTM F1914	Passes	Passes
Slip Resistance	ASTM D2047	≥ 0.5 SCOF	≥ 0.5 SCOF
Flame Resistance	ASTM E648	Class 1 (≥ 0.45 W/cm ²)	Class 1 (≥ 0.45 W/cm ²)
Flame Spread / Smoke (Canada)	CAN/ULC S102.2	FSR 155 / SDC 240	FSR 155 / SDC 240
Electrostatic Testing	ASTM F150	10 ⁶ to 10 ⁹ ohms	10 ⁶ to 10 ⁹ ohms
	ANSI/ESD S7.1	10 ⁶ to 10 ⁹ ohms	10 ⁶ to 10 ⁹ ohms
	ANSI/ESD STM 97.1	10 ⁹ ohms	10 ⁹ ohms
	ANSI/ESD STM 97.2	< 100 volts	< 100 volts
Warranty		20 Year	20 Year
Colors Available		14	14
Roll	Length	75' 6"	
	Width	6' 6"	
	Weight/yd ² (m ²)	5.5 lbs	
Tile	Size		24" x 24"
	Pieces per Carton		14
	Area per Carton (SQ FT)		56
	Weight per Carton (lbs)		36

Technical Data	Standards	Granit Safe.T
Classification	ASTM F1913	Vinyl Sheet Floor Covering Without Backing
Total Thickness	ASTM F386	0.080" (2.0 mm)
Static Load Resistance	ASTM F970	250 psi $\leq$ 0.005"
Resistance to Heat	ASTM F1514	$\Delta E \leq 8.0$
Resistance to Light	ASTM F1515	$\Delta E \leq 8.0$
Residual indentation	ASTM F1914	Passes
Slip Resistance	ASTM D2047	≥ 0.5 SCOF
Flame Resistance	ASTM E648	Class 1 (≥ 0.45 W/cm ²)
Flame Spread / Smoke (Canada)	CAN/ULC S102.2	FSR 45 / SDC 145
Warranty		20 Year
Colors Available		24
Roll	Length	82' 7"
	Width	6' 6"
	Weight/yd ² (m ²)	5.5 lbs

Please visit tarkett.com for the most updated specifications, and installation, cleaning and maintenance instructions.

The weld rods listed are intended to correspond with the denoted flooring colors. Other weld rods can be used for a variety of visual effects.

ON THE COVER:

Granit Safe.T
633 Soft Brick
571 Soft Pale Brick
507 Light Sand
513 Clay

* Static loads greater than 250 psi fall outside of the scope of the ASTM F970 Test Method. Modified static load testing does not provide information related to the long-term exposure and the residual indentation of an installed floorcovering system, which includes the subfloor, adhesive, underlayment, and cementitious patching/leveling compounds. Residual indentation(s) may remain visible in any resilient flooring installation, however, overhead lighting, natural lighting and the application of a gloss floor finish may increase the appearance.



Tarkett North America

30000 Aurora Road, Solon, Ohio 44139
800.899.8916 | tarkett.com

For more accurate color and pattern representation, we suggest you visit an authorized Tarkett dealer to view an actual product sample. All third-party trademarks are the property of their respective owners.

©Tarkett North America 3159900023 09/2024