


CROSSWEAVE HD PORCELAIN TILE




## CROSSWEAVE HD PORCELAIN TILE




24" x 24" CROSSWEAVE HEATHER GREY HD RECTIFIED PORCELAIN TILE  
69-458



3" x 24" CROSSWEAVE HEATHER GREY HD PORCELAIN BULLNOSE  
63-611



12" x 24" CROSSWEAVE HEATHER GREY HD RECTIFIED PORCELAIN TILE  
69-435



2" x 2" CROSSWEAVE HEATHER GREY  
HD PORCELAIN BASKETWEAVE MOS. 63-606

## CROSSWEAVE HD PORCELAIN TILE



24" x 24" CROSSWEAVE CANVAS HD RECTIFIED PORCELAIN TILE  
69-459



3" x 24" CROSSWEAVE CANVAS HD PORCELAIN BULLNOSE  
63-612




12" x 24" CROSSWEAVE CANVAS HD RECTIFIED PORCELAIN TILE  
69-436



2" x 2" CROSSWEAVE CANVAS  
HD PORCELAIN BASKETWEAVE MOS. 63-607

## CROSSWEAVE HD PORCELAIN TILE




24" x 24" CROSSWEAVE PARCHMENT HD RECTIFIED PORCELAIN TILE  
69-461



3" x 24" CROSSWEAVE PARCHMENT HD PORCELAIN BULLNOSE  
63-614




12" x 24" CROSSWEAVE PARCHMENT HD RECTIFIED PORCELAIN TILE  
69-438



2" x 2" CROSSWEAVE PARCHMENT  
HD PORCELAIN BASKETWEAVE MOS. 63-609

## CROSSWEAVE HD PORCELAIN TILE




24" x 24" CROSSWEAVE FLAX HD RECTIFIED PORCELAIN TILE  
69-460



3" x 24" CROSSWEAVE FLAX HD PORCELAIN BULLNOSE  
63-613




12" x 24" CROSSWEAVE FLAX HD RECTIFIED PORCELAIN TILE  
69-437



2" x 2" CROSSWEAVE FLAX  
HD PORCELAIN BASKETWEAVE MOS. 63-608

## CROSSWEAVE HD PORCELAIN TILE




24" x 24" CROSSWEAVE SHADE HD RECTIFIED PORCELAIN TILE  
69-462



3" x 24" CROSSWEAVE SHADE HD PORCELAIN BULLNOSE  
63-615



12" x 24" CROSSWEAVE SHADE HD RECTIFIED PORCELAIN TILE  
69-439



2" x 2" CROSSWEAVE SHADE  
HD PORCELAIN BASKETWEAVE MOS. 63-610

## CROSSWEAVE HD PORCELAIN TILE

### PACKAGING INFORMATION

| DESCRIPTION                                  | ITEM CODE    |        |           |        |        | LBS/BOX | PCS/BOX | SQFT/BOX | BOXES/SKID | SQFT/SKID |
|----------------------------------------------|--------------|--------|-----------|--------|--------|---------|---------|----------|------------|-----------|
|                                              | HEATHER GREY | CANVAS | PARCHMENT | FLAX   | SHADE  |         |         |          |            |           |
| 24"x 24" CROSSWEAVE RECTIFIED PORCELAIN TILE | 69-458       | 69-459 | 69-461    | 69-460 | 69-462 | 68.28   | 4       | 15.50    | 28         | 434.00    |
| 12"x 24" CROSSWEAVE RECTIFIED PORCELAIN TILE | 69-435       | 69-436 | 69-438    | 69-437 | 69-439 | 68.28   | 8       | 15.50    | 28         | 434.00    |
| 2"x 2" CROSSWEAVE BASKETWEAVE MOSAICS        | 63-606       | 63-607 | 63-609    | 63-608 | 63-610 | 38.45   | 10      | 9.69     | 45         | 436.05    |
| 3"x 24" CROSSWEAVE HD PORCELAIN BULLNOSE     | 63-611       | 63-612 | 63-614    | 63-613 | 63-615 | 31.92   | 15      | n/a      | 56         | 840 pcs   |

### GENERAL SPECIFICATIONS

| DESCRIPTION                          | METHOD                       | UNIT    | 24" x 24"           | 12" x 24"           |
|--------------------------------------|------------------------------|---------|---------------------|---------------------|
| THICKNESS                            |                              | mm – in | 9 mm – 11/32"       | 9 mm – 11/32"       |
| WATER ABSORPTION                     | ASTM C-373 & EN ISO 10545-3  | ( % )   | ≤ 0.5               | ≤ 0.5               |
| ABRASION RESISTANCE                  | ASTM C-1027 & EN ISO 10545-7 | (PEI)   | 4                   | 4                   |
| SCRATCH HARDNESS                     |                              | (Mohs)  | 6                   | 6                   |
| BREAKING STRENGTH                    | EN ISO 10545-4               | (lbf)   | ≥ 450               | ≥ 450               |
| STAIN RESISTANCE                     | ASTM C-1378                  |         | Class A             | Class A             |
| CHEMICAL RESISTANCE                  | EN ISO 10545-13              | (GL)    | Class A – Resistant | Class A – Resistant |
| FROST RESISTANCE                     | EN ISO 10545-12              |         | Resistant           | Resistant           |
| STATIC COEFFICIENT OF FRICTION (WET) | ASTM C-1028                  | (μ)     | ≥ 0.60              | ≥ 0.60              |
| STATIC COEFFICIENT OF FRICTION (DRY) | ASTM C-1028                  | (μ)     | ≥ 0.70              | ≥ 0.70              |
| DCOF (WET)                           | ANSI B101.3                  |         | ≥ 0.42              | ≥ 0.42              |
| SHADE VARIATION                      |                              |         | V1                  | V1                  |

\* While the information has been presented with all due care, Anatolia Tile and Stone Inc. does not warrant the information is free from errors or omission. Actual colors may vary depending on product.



12"x 24" CROSSWEAVE HEATHER GREY HD RECTIFIED PORCELAIN TILE